### PEGASO ∕]₹

# DATA SHEET CE

## Mod. 140/159 **AGUILA**



#### NEUTRAL



140.02 Transparent/Grey frame

#### GRADUATED



159 01

frame

Transparent/Grey





140 01 Transparent/Grey frame

159.02 Transparent/Grey frame

140.04 Transparent/Grey frame



NEUTRAL

Model weight: **28 gr** Units per box: **10** 

| REF.   | DESCRIPTION            | FRAME MARKING | LENS MATERIAL AND MARKING | COATING               |  |
|--------|------------------------|---------------|---------------------------|-----------------------|--|
| 140.02 | Transparent/Grey frame | ⑦ EN166F C€   | Polycarbonate 🗇 1 F K C€  | Antiscratch - Antifog |  |

#### **CUSTOM PRESCRIPTION**

- We have an optical service close to the workplace to take prescriptions. Online management platform. Delivery time: 5 working days.

| REF.   | FRAME                  | SIZE | FRAME<br>MARKING   | LENS MATERIAL              | LENS MARKING                   | PRESCRIPTION<br>LIMIT | COATING                      |
|--------|------------------------|------|--------------------|----------------------------|--------------------------------|-----------------------|------------------------------|
| 140.01 | Transparent/Grey frame | 54   | ͡ EN166F <b>C€</b> | CR-39 1.6 (MR-8)           | <pre></pre>                    | +8,-8                 |                              |
| 159.01 | Transparent/Grey frame | 52   | ⑦ EN166F C€        |                            | □ 1 F K C €                    |                       | - Antiscratch<br>- Blue Stop |
| 159.02 | Transparent/Grey frame | 52   | ⑦ EN166F C€        | Polycarbonate              | <sup></sup> □ 1 F K <b>C €</b> | +8,-8                 | - Photochromatic             |
| 140.04 | Transparent/Grey frame | 54   | ⑦ EN166F <b>C€</b> | CR-39 1.5 +<br>Antiscratch | ण 1 S K <b>C</b> €             | +8,-8                 | - Polarized                  |

#### MARK MEANING CE

| Symbol | Rule       | Description  |
|--------|------------|--|
| T      | EN166:2001 | Identification of OPTOR S.A.U.   |
| 1      | EN166:2001 | Optical class symbol.  |
| F      | EN166:2001 | Protection from particles at high speed, low energy. Resists the impact of a 6mm diameter steel ball weighing 0.86g at 45 m/s. |
| К      | EN166:2001 | Resistance to surface deterioration caused by fine particles.  |
| S      | EN166:2001 | Increased mechanical resistance (6 m/s)  |
| CE     |            | European regulations.  |



Certificate No. 19/1493/00/0161 No. notified body 0161







### DECLARATION OF CONFORMITY CE

In accordance with the Union harmonization legislation applicable to Regulation (EU) 2016/425

#### The manufacturer

OPTOR S.A.U. C/Quintana i Millars, 2, naveG 08940 Cornellà de Llobregat Barcelona (SPAIN)

Declares under its sole responsibility that the category II PPE described below is in accordance with the EU harmonization legislation applicable to Regulation (EU) 2016/425 and with the harmonization standards related in the table below.

| MOD. AGUILA |                   |              |                      |            |
|-------------|-------------------|--------------|----------------------|------------|
| REF.        | DESCRIPTION       |              | HARMONIZED STANDARDS | LABORATORY |
| 140.01      | AGUILA Transparen | t/Grey frame | EN166:2001           | Aitex      |
| 159.01      | AGUILA Transparen | t/Grey frame | EN166:2001           | Aitex      |
| 159.02      | AGUILA Transparen | t/Grey frame | EN166:2001           | Aitex      |
| 140.04      | AGUILA Transparen | t/Grey frame | EN166:2001           | Aitex      |
| 140.02      | AGUILA Transparen | t/Grey frame | EN166:2001           | Aitex      |

The PPE subject to this declaration is identical to the one that has been submitted to the EU Type examination.

| CERTIFICATE C€ № | ISSUED BY | NO. NOTIFIED BODY | CERTIFICATE DATE | VALID UNTIL |
|------------------|-----------|-------------------|------------------|-------------|
| 19/1493/00/0161  | Aitex     | 0161              | 05/06/2019       | 05/06/2024  |

Inf

